



FINAL EXAMINATION
MARCH 2024

COURSE TITLE	STATISTICS FOR EDUCATIONAL RESEARCH
COURSE CODE	ERES4114
DATE/DAY	25 JUNE 2024 / TUESDAY
TIME/DURATION	02:00 PM - 04:00 PM / 02 Hour(s) 00 Minute(s)

INSTRUCTIONS TO CANDIDATES :

1. Please read the instruction under each section carefully.
2. Candidates are reminded not to bring into examination hall/room any form of written materials or electronic gadget except for stationery that is permitted by the Invigilator.
3. Students who are caught breaching the Examination Rules and Regulation will be charged with an academic dishonesty and if found guilty of the offence, the maximum penalty is expulsion from the University.

(This Question Paper consists of 7 Printed Pages including front page)

*****DO NOT OPEN THE QUESTION PAPER UNTIL YOU ARE TOLD TO DO SO*****

There are **THREE (3)** questions in this section. Answer **ALL** questions in the Answer Booklet. **[50 MARKS]**

QUESTION 1

(10 Marks)

1. A group of education students is interested in finding out something about the average ringgit value of properties owned by each lecturer from SHE and BRSBITE at Unirazak, Kuala Lumpur. Describe each of the **FIVE (5)** terms to be identified in this situation.
- a) Sample (2 marks)
 - b) Population (2 marks)
 - c) Variable. (2 marks)
 - d) Parameter. (2 marks)
 - e) Statistics. (2 marks)

QUESTION 2

(10 Marks)

2. The speed of vehicles passing through the construction area is normally distributed with a population mean of 46 kilometers per hour and a standard deviation of 4 kilometres per hour. What is the probability that randomly selected vehicles passing through this construction zone are:
- a) Exceeding 49 kilometers per hour? (2.5 marks)
 - b) Less than 50 kilometers per hour? (2.5 marks)
 - c) Between 40 and 50 kilometers per hour? (2.5 marks)
 - d) Constantly at 40 kilometers per hour? (2.5 marks)

QUESTION 3

(10 Marks)

3. Due to the high demand for durian buffets during the festival season holidays, Shahzreel decided to venture into a new business for his side income. However, he is contemplating finding a good supplier for his new business. Supplier A gave him a deal of a box of durian with 900 kg of mean and 10kg of standard deviation. Meanwhile, supplier B gave him a deal of a box of durian with 650kg mean and 10kg of standard deviation.
- a) Based on the information above, which supplier will be selected as the best new official supplier? (2 marks)
- b) Justify why the decision in a) has been made. (4 marks)
- c) What is the parameter that you used to help Shahzreel to make his business decision? (4 marks)

QUESTION 4

(20 Marks)

4. The following table gives information on the average saturated fat (in grams) consumed per day and the cholesterol level (in milligrams per hundred millilitres) for eight men.

Fat consumption	55	68	50	43	34	58	77	36
Cholesterol level	180	215	195	170	165	204	235	150

- a) Draw a scatter diagram based on the information above. (10 marks)
- b) From the scattered diagram, briefly describe the relationship between fat consumption and cholesterol level. (2 marks)
- c) Generate the regression equation from the data above (8 marks)

*** END OF QUESTION PAPER ***

FORMULA SHEET

Sturge's Rule : $c \doteq 1 + 3.3 \log n$

Class width : $i > \frac{\text{range}}{c}$

Arithmetic mean: $\bar{x} = \frac{\sum fx}{\sum f}$

Median: $L_m + \left(\frac{\frac{n}{2} - F}{f_m} \right) i$

Mode: $L_{mo} + \left(\frac{\Delta_1}{\Delta_1 + \Delta_2} \right) i$

Standard Deviation: 1) $s = \sqrt{\frac{\sum x^2 - (\sum x)^2 / n}{n-1}}$

2) $s = \sqrt{\frac{\sum fx^2 - (\sum fx)^2 / n}{n-1}}$

Sk : $\frac{3(\text{mean} - \text{median})}{\text{standard deviation}}$ or $\frac{\text{mean} - \text{mode}}{\text{standard deviation}}$

CV : $\frac{\text{standard deviation}}{\text{mean}} \times 100\%$

Addition Rules : $P(A \cup B) = P(A) + P(B) - P(A \cap B)$

Conditional probability : $P(A | B) = \frac{P(A \cap B)}{P(B)}$

Confidence interval (σ known) : $\bar{x} \pm z \frac{\sigma}{\sqrt{n}}$

Test statistic (σ known) : $z = \frac{\bar{x} - \mu}{\sigma / \sqrt{n}}$


Correlation of coefficient, $r = \frac{(n)(\sum xy) - (\sum x)(\sum y)}{\sqrt{(n)(\sum x^2) - (\sum x)^2} \sqrt{(n)(\sum y^2) - (\sum y)^2}}$

Slope, $b_1 = \frac{(n)(\sum xy) - (\sum x)(\sum y)}{(n)(\sum x^2) - (\sum x)^2}$

Y-Intercept, $b_0 = \bar{y} - b_1 \bar{x}$

Regression Line, $\hat{y} = b_0 + b_1 x$


Standard Normal Cumulative Probability Table



Cumulative probabilities for NEGATIVE z-values are shown in the following table:

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0065	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0095	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0165	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0267	0.0261	0.0254	0.0250	0.0245	0.0240	0.0235	0.0230	0.0225	0.0220
-1.8	0.0309	0.0301	0.0294	0.0289	0.0282	0.0276	0.0271	0.0265	0.0260	0.0254
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0605	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0706	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0836	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1735	0.1711	0.1685	0.1659	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2235	0.2205	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3335	0.3300	0.3264	0.3228	0.3192	0.3155	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4502	0.4452	0.4422	0.4383	0.4343	0.4304	0.4264	0.4325	0.4286	0.4247
0.0	0.5000	0.4950	0.4920	0.4850	0.4819	0.4801	0.4751	0.4721	0.4681	0.4641

Standard Normal Cumulative Probability Table



Cumulative probabilities for POSITIVE z-values are shown in the following table:

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8105	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9305	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9405	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9685	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9725	0.9732	0.9738	0.9744	0.9750	0.9755	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998